


CP- UVP-2013L10**1.3 MP HDCVI IR PTZ Camera - 100 Mtr.****CP PLUS**
CORAL**Main Features**

- 1/3" Exmor HQIS Pro Image sensor
- Powerful 20x Optical and 16x Digital zoom
- DWDR, Day/Night(ICR), Ultra DNR
- Up to 255 Presets, 8 Tour, 5 Pattern, 5 Auto scan
- Max 240°/s pan speed, 360° endless pan rotation
- IR Range of 100 Mtr.
- Built-in 2/1 alarm in/out, IP66



CP- UVP-2013L10

1.3 MP HDCVI IR PTZ Camera - 100 Mtr.



Feature

Image Sensor
Video Output
S/N Ratio
Minimum Illumination
Focal Length
White Balance
Focus Control
Angle of View
Close Focus Distance
Electronic Shutter
AGC control
Back Light Compensation
Optical Zoom
Digital Zoom
Pan Travel
Tilt Travel
Presets
Preset Speed
Privacy Masking
Special Features
Power up Action
Idle Motion
Time Task
Day/Night: IR Cut Filter
Video Compression
Video Streaming
Audio Compression
Audio Streaming
Protocols
Alarm
Max Remote Users

Specification

1/3" 1.3MP Exmor HQIS Pro
1 channel BNC HDCVI high definition video output
More than 50dB
Color: 0.05Lux@F1.4, B/W: 0.005Lux@F1.4, 0Lux (IR on)
4.7mm~94mm
Auto, ATW, Indoor, Outdoor, Manual
Auto / Manual
H: 54.1° ~ 3.2°
100mm~ 1000mm
1/1 ~ 1/30,000s
Auto / Manual
BLC / HLC / DWDR
20x
16x
360° endless, Pan Speed: 0.1° ~ 160°/sec
-15° ~ 90°, Tilt Speed: 0.1° ~ 120°/sec
255
Pan: 240° /s; Tilt: 200° /s
Up to 24 areas
IR Range upto 100m, Up to 255 Presets, 8 Tour, 5 Pattern, 5 Auto scan
Auto restore to previous PTZ and lens status after power failure
Activate Preset/ Pan/ Scan/ Tour/ Pattern if there is no command in the specified period
Auto activation of Prese/Pan/Scan/Tour/Pattern by preset-time
Auto (ICR) / Color / B/W
H.264 / MJPEG
25/30fps@1.3MP
G.711a / G.711u(32kbps)/ PCM(128kbps)
1 channel In
Pelco-P / Pelco-D(Auto recognition)
2/1 channel In/Out
20 users



CP- UVP-2013L10**1.3 MP HDCVI IR PTZ Camera - 100 Mtr.****Feature**

Memory Slot
Operating Temperature
Weather Proof Standard
Dimension
Weight
Power Source
Power Consumption

Specification

Micro SD, Max 64GB
-40°C ~ 60°C / Less than 90% RH
IP66
Φ204.7(mm) x 335.9(mm)
7.5kg
AC 24V/2.2A(±10%)
10.5W, 26W (IR on, Heater on)