

DATA SHEET

# FortiGate® 30E-3G4G

Secure SD-WAN
Unified Threat Management

The FortiGate 30E series offers an excellent Security and SD-WAN solution in a compact fanless desktop form factor for enterprise branch offices and mid-sized businesses. Protect against cyber threats with industry-leading secure SD-WAN in a simple, affordable and easy to deploy solution.



#### Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevent and detect against known and unknown attacks using continuous threat intelligence from Al powered FortiGuard Labs security services

#### **Performance**

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

#### Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

#### **Networking**

- Best of Breed SD-WAN capabilities to enable application steering using WAN path control for high quality of experience
- Delivers extensive routing, switching, wireless controller, highperformance, and scalable IPsec VPN capabilities

#### Management

- Includes Management Console that's effective, simple to use, and provides comprehensive network automation & visibility.
- Provides Zero Touch Integration with Security Fabric's Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

#### **Security Fabric**

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
950 Mbps	300 Mbps	200 Mbps	150 Mbps	Multiple GE RJ45


## **Deployment**




- Integrated wired and wireless networking to simplify IT
- Purpose-built hardware for industry best performance with easy administration through cloud management
- Provides consolidated security and networking for small businesses and consistently provides top-rated threat protection
- Proactively blocks newly discovered sophisticated attacks in real-time with advanced threat protection



- Secure direct Internet access for Cloud Applications for improved latency and reduce WAN cost spending
- High-performance and cost-effective threat protection capabilities
- WAN Path Controller and Link Health Monitoring for better application performance and quality of experience
- Security Processer powered industry's best IPsec VPN and SSL Inspection performance
- Simplified Management and Zero Touch deployment



FortiGate 30E-3G4G deployment in Small Office (UTM)




FortiGate 30E-3G4G deployment in Enterprise Branch (Secure SD-WAN)

### **Hardware**

## FortiGate 30E-3G4G







### Interfaces

- 1. USB Port
- 2. Console Port
- 3. 1x GE RJ45 WAN Port

- 4. 4x GE RJ45 Switch Ports
- 5. Internal 3G4G Modem

## Install in Minutes with FortiExplorer

The FortiExplorer wizard enables easy setup and configuration coupled with easy-to-follow instructions. FortiExplorer runs on popular iOS devices. Using FortiExplorer is as simple as starting the application and connecting to the appropriate USB port on the FortiGate. By using FortiExplorer, you can be up and running and protected in minutes.

### 3G/4G WAN Extensions

The FortiGate 30E-3G4G includes built-in 3G/4G modem that allows additional WAN connectivity or a redundant link for maximum reliability.

## Compact and Reliable Form Factor

Designed for small environments, you can simply place the FortiGate 30E-3G4G on a desktop. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.



## **Fortinet Security Fabric**


## **Security Fabric**

The Security Fabric delivers broad visibility, integrated Al-driven breach prevention, and automated operations, orchestration, and response across all Fortinet and its ecosystem deployments. It allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network. All this is ties together under a single pane of glass management for significantly thereby delivering leading security capabilities across your entire environment while also significantly reducing complexity.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

### **FortiOS**

Control all security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce complexity, costs, and response time with a truly consolidated next-generation security platform.





- A truly consolidated platform with a single OS and pane-of-glass for all security and networking services across all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
   Ability to leverage latest technologies such as deception-based security.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated Al-driven breach prevention and advanced threat protection.
- Fulfil your networking needs with extensive routing, switching, and SD-WAN capabilities along with intent-based segmentation.
- Utilize SPU hardware acceleration to boost security capability performance.

### **Services**



## FortiGuard<sup>™</sup> Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



## FortiCare<sup>™</sup> Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



# **Specifications**

	FORTIGATE 30E-3G4G			
Hardware Specifications				
GE RJ45 Switch Ports	4			
GE RJ45 WAN Port	1			
USB Port	1			
Console (RJ45)	1			
Wireless Interface	_			
System Performance				
Firewall Throughput	950 Mbps			
Firewall Latency (64 byte UDP packets)	130 µs			
Firewall Throughput (Packets Per Second)	180 Kpps			
Concurrent Sessions (TCP)	900,000			
New Sessions/Second (TCP)	15,000			
Firewall Policies	5,000			
IPsec VPN Throughput (512 byte) 1	75 Mbps			
Gateway-to-Gateway IPsec VPN Tunnels	200			
Client-to-Gateway IPsec VPN Tunnels	250			
SSL-VPN Throughput	35 Mbps			
Concurrent SSL-VPN Users	100			
(Recommended Maximum, Tunnel Mode)				
SSL Inspection Throughput (IPS, HTTP) 3	160 Mbps			
Application Control Throughput (HTTP 64K) <sup>2</sup>	400 Mbps			
CAPWAP Throughput (HTTP 64K)	850 Mbps			
Virtual Domains (Default / Maximum)	5/5			
Maximum Number of FortiSwitches Supported	8			
Maximum Number of FortiAPs (Total / Tunnel Mode)	2/1			
Maximum Number of FortiTokens	500			
Maximum Number of Registered FortiClients	200			
High Availability Configurations	Active/Active, Active/Passive, Clustering			

	FORTIGATE 30E-3G4G			
System Performance — Optimal Traffic Mix				
IPS Throughput <sup>2</sup>	600 Mbps			
System Performance — Enterprise Traffic Mix	X			
IPS Throughput <sup>2</sup>	300 Mbps			
NGFW Throughput 2,4	200 Mbps			
Threat Protection Throughput 2,5	150 Mbps			
Dimensions				
Height x Width x Length (inches)	1.44 x 5.5 x 8.52			
Height x Width x Length (mm)	36.5 x 140 x 216			
Weight	1.982 lbs (0.899 kg)			
Form Factor	Desktop			
Environment				
Power Required	100-240V AC, 60-50 Hz			
	(External DC Power Adapter)			
Maximum Current	110 V / 0.55 A,			
D	220 V / 0.47 A			
Power Consumption (Average / Maximum)	16.1 / 19.3 W			
Heat Dissipation	66 BTU/h			
Operating Temperature	32–104°F (0–40°C)			
Storage Temperature	-31-158°F (-35-70°C)			
Humidity	10–90% non-condensing			
Noise Level	Fanless 0 dBA			
Operating Altitude	Up to 7,400 ft (2,250 m)			
Compliance				
Regulatory Compliance	FCC Part 15 Class B, C-Tick, VCCI, CE, UL/cUL, CB			
Certifications				
	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN			

	FG-30E-3G4G-GBL
Regional Compatibility	
	All Regions
Modem Model	Sierra Wireless EM7565
LTE	B1, B2, B3, B4, B5, B7, B8, B9, B12, B13, B18, B19, B20, B26, B28, B29, B30, B32, B41, B42, B43, B46, B48, B66
UMTS/HSPA+	B1, B2, B3, B4, B5, B6, B8, B9, B19
WCDMA	-
CDMA 1xRTT/EV-DO Rev A	-
GSM/GPRS/EDGE	-
Module Certifications	CE, FCC, GCF, IC, JRF/JPA, NCC, PTCRB
Diversity	Yes
MIMO	Yes
GNSS Bias	Yes

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

- 5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.



## **Order Information**

Product	SKU	Description
FortiGate 30E-3G4G-GBL	FG-30E-3G4G-GBL	5x GE RJ45 ports (including 1x WAN port, 4x Switch ports) with Embedded 3G/4G/LTE wireless WAN module (Global LTE – EM7565), 2 external SMA WWAN antennas included.

## **Bundles**



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	UTM	Threat Protection
FortiCare	ASE 1	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiCASB SaaS-only Service	•	•		
FortiConverter Service	•			
SD-WAN Cloud Assisted Monitoring <sup>2</sup>	•			
SD-WAN Overlay Controller VPN Service <sup>2</sup>	•			
FortiAnalyzer Cloud <sup>2</sup>	•			
FortiManager Cloud <sup>2</sup>	•			

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.2



www.fortinet.com

Copyright © 2019 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinets General Councils, with a purches, what has present that expressly warrants that the identified performance for perform according to certain expressly-identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT30E2 FGFWF-30E-3G4G-DAT-R13-201904