

C1-WS3650-48UQ/K9 Datasheet

[Get a Quote](#)

Overview

Cisco ONE Catalyst 3650 48 Port mGig, 4x10G Uplink, LAN Base

Specification

C1-WS3650-48UQ/K9 Specification

General	
Device Type	Switch - 48 ports - L3 - managed - stackable
Enclosure Type	Desktop, rack-mountable 1U
Subtype	Gigabit Ethernet
Ports	36 x 10/100/1000 (UPOE) + 12 x 100/1000/2.5G/5G/10G (UPOE) + 4 x 10 Gigabit SFP+ (uplink)
Power Over Ethernet (PoE)	UPOE
PoE Budget	660 W
Performance	Switching capacity: 272 Gbps ¦Forwarding performance: 202.38 Mpps ¦Stacking bandwidth: 160 Gbps
Capacity	IPv4 routes: 24000 ¦NetFlow entries: 24000 ¦Virtual interfaces (VLANs): 4094 ¦Switched virtual interfaces (SVIs): 1000 ¦IPv4 routes: 24000
MAC Address Table Size	32000 entries
Jumbo Frame Support	9198 bytes
Routing Protocol	BGP-4, IS-IS, RIP-1, RIP-2, PIM-SM, static IP routing, PIM-DM, EIGRP for IPv6, OSPFv3, PIM-SSM, policy-based routing (PBR), RIPng
Remote Management Protocol	SNMP 1, RMON 1, RMON 2, RMON 3, RMON 9, Telnet, SNMP 3, SNMP 2c, SSH, CLI
Authentication Method	Kerberos, Secure Shell (SSH), RADIUS, TACACS+
Features	Full duplex capability, layer 2 switching, DHCP support, auto-negotiation, ARP support, trunking, VLAN support, auto-uplink (auto MDI/MDI-X), IGMP snooping, Syslog support, IPv6 support, Spanning Tree Protocol (STP) support, Rapid Spanning Tree Protocol (RSTP) support, Multiple Spanning Tree Protocol (MSTP) support, DHCP snooping, Dynamic Trunking Protocol (DTP) support, Port Aggregation Protocol (PAgP) support, Trivial File Transfer Protocol (TFTP) support, Access Control List (ACL) support, Quality of Service (QoS), RADIUS support, Virtual Route Forwarding-Lite (VRF-Lite), MLD snooping, Dynamic ARP Inspection (DAI), Cisco StackWise Technology, Unicast Reverse Path Forwarding (URPF), Uni-Directional Link Detection (UDLD), Rapid Per-VLAN Spanning Tree Plus (PVRST+), Shaped Round Robin (SRR), LLDP support, Link Aggregation Control Protocol (LACP), MAC Address Notification, Remote Switch Port Analyzer (RSPAN), Hot Standby Router Protocol (HSRP) support, Energy Efficient Ethernet, Strict Priority Queuing (SPQ), Class of Service (CoS), Flexible NetFlow (FNF), DiffServ Code Point (DSCP) support
Compliant Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3z, IEEE 802.1D, IEEE 802.1Q, IEEE 802.3ab, IEEE 802.1p, IEEE 802.3af, IEEE 802.3x, IEEE 802.3ad (LACP), IEEE 802.1w, IEEE 802.1x, IEEE 802.1s, IEEE 802.1ab (LLDP), IEEE 802.3at
RAM	4 GB

C1-WS3650-48UQ/K9 Specification

Flash Memory	4 GB
Status Indicators	Port transmission speed, port duplex mode, system, active, status, PoE
Expansion / Connectivity	
Interfaces	36 x 1000Base-T RJ-45 UPOE - 60 W ; 1 x USB Type A ; 1 x serial (console) RJ-45 management ; 1 x management (Gigabit LAN) RJ-45 management ; 1 x management (mini-USB) Type B management ; 12 x 100/1000/2.5G/5G/10GBase-T RJ-45 UPOE - 60 W ; 4 x 10GBase-X SFP+ uplink
Expansion Slots	1 (total) / 1 (free) x Stacking Module slot
Power	
Power Device	Internal power supply - hot-plug
Installed Qty	1 (installed) / 2 (max)
Power Redundancy	Optional
Power Redundancy Scheme	1 + 1 (with optional power supply)
Power Provided	1100 Watt
Voltage Required	AC 120/230 V (50/60 Hz)
Miscellaneous	
Rack Mounting Kit	Included
MTBF	203,130 hours
Compliant Standards	CISPR 22 Class A, GOST, BSMI CNS 13438 Class A, CISPR 24, EN 61000-3-2, NOM, EN 61000-3-3, EN55024, EN55022 Class A, ICES-003 Class A, RoHS, UL 60950-1 Second Edition, KCC, FCC Part 15 A, ISO 7779, CSA C22.2 No. 60950-1 Second Edition, EN 60950-1 Second Edition, IEC 60950-1 Second Edition, VCCI Class A, KN24, KN22 Class A
Software Included	Cisco IOS LAN Base
Width	17.5 in
Depth	19.1 in
Height	1.7 in
Weight	16.71 lbs

Want to Buy

[Order Now](#)[Get a Quote](#)

Why Gntme.com

As a leading network hardware supplier, Gntme.com focuses on original new ICT equipment of **Cisco**, **Huawei**, **HPE**, **Dell**, **Hikvision**, **Juniper**, **Fortinet**, etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

Contact Us

Email:- sales@gntme.com

Contact:- +971 4 2409 998

WhatsApp:- +971503841786

Skype:- [imrank211](#)