# **Gear Net Technologies**



#### WS-C3560-48PS-S Datasheet

Overview Get a Quote

Cisco Catalyst 3560 Series is a line of fixed-configuration, enterprise-class switches that include IEEE 802.3af and Cisco prestandard Power over Ethernet (PoE) functionality in Fast Ethernet and Gigabit Ethernet configurations. The Cisco Catalyst 3560 is an ideal access layer switch for small enterprise LAN access or branch-office environments, combining both 10/100/1000 and PoE configurations for maximum productivity and investment protection while enabling the deployment of new applications such as IP telephony, wireless access, video surveillance, building management systems, and remote video kiosks.

- 48 Ethernet 10/100 ports and 4 SFP-based Gigabit Ethernet ports
- 1RU fixed-configuration, multilayer switch
- · Enterprise-class intelligent services delivered to the network edge
- IEEE 802.3af and Cisco prestandard Power over Ethernet
- IP Base software feature set (IPB)

### Specification

| Specifications              |  |  |
|-----------------------------|--|--|
| Туре                        | Fixed  |  |
| Topology                    | Ethernet (10/100BaseTX) Ethernet (10/100/1000 Ethernet PortsBaseT) Gigabit Ethernet (SFP)                          |  |
| Maximum Port density        | 48 10/100 PoE ports  |  |
| Uplinks                     | 4 SFP ports  |  |
| Modular/Expansion Slots     | n/a  |  |
| Architecture                | Layer 2 Switching (basic connectivity), Layer 2 Switching (intelligent services), Layer 3 Switching, Voice Enabled |  |
| Form Factor                 | Fixed, Rack Mountable, Standalone/Clustering   |  |
| Dimensions                  | 1.73 x 17.5 x 14.85 in.  |  |
| DRAM                        | 128 MB   |  |
| Features                    |  |  |
| Specialized Service Modules | n/a  |  |
| Security                    |  |  |
| DHCP Snooping               | ⊗  |  |
| Dynamic ARP Inspection      | ⊗  |  |
| IP Source Guard             | ⊗  |  |
| RP Rate Limiters            |  |  |
| TCP Intercept               |  |  |
| 802.1x                      | ⊗  |  |
| Port Security               | ⊗  |  |

| Dynamic VLANs  | ⊗  |  |
|--|--|--|
| Private VLANs  | ⊗  |  |
| Private VLAN Edge  | ⊗  |  |
| Secure Shell   | ⊗  |  |
| SNMPv3   | ⊗  |  |
| Unicast RPF  |  |  |
| ACLs (L2-L4)   | ⊗  |  |
| Kerberos   | ⊗  |  |
| TACACS+  | ⊗  |  |
| RADIUS   | ⊗  |  |
| High Availability/Resilliency  |  |  |
| Hardware Redundancy  | External Redundant Power Supply  |  |
| High Availability/Resilliency  | PVST, Broadcast Suppression, Unicast Suppression, Mulitcast Suppression, Spanning Tree, Portfast, Uplink Fast, Backbone Fast, 802.1s, 802.1w, HSRP                                 |  |
| Management   |  |  |
| Management features  | SPAN, RSPAN, CiscoView, Cisco Discover Protocol (CDP), Virtual Trunking Protocol (VTP), Telnet Client, BOOTP, TFTP, CiscoWorks, CWSI, RMON, SNMP, Clustering, Web-Based Management |  |
| Scalability  |  |  |
|  |  |  |
| WAN Interface Support  | n/a  |  |
| WAN Interface Support  Throughput  | n/a<br>13.1 Mpps   |  |
|  |  |  |
| Throughput   | 13.1 Mpps  |  |
| Throughput  Backplane Capacity   | 13.1 Mpps 17.6 Gbps  |  |
| Throughput  Backplane Capacity  Number of VLANs  | 13.1 Mpps 17.6 Gbps  |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia   | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services   | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support   | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support  WRR  | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support  WRR  QoS - Policing  | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support  WRR  QoS - Policing  QoS - Scheduling                                  | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support  WRR  QoS - Policing  QoS - Scheduling  802.1p                          | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support  WRR  QoS - Policing  QoS - Scheduling  802.1p  802.1Q                  | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support  WRR  QoS - Policing  QoS - Scheduling  802.1p  802.1Q  ISL             | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support  WRR  QoS - Policing  QoS - Scheduling  802.1p  802.1Q  ISL  CGMP       | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |
| Throughput  Backplane Capacity  Number of VLANs  QOS/VoiceMulticast/Multimedia  Voice Services  IPv6 Support  WRR  QoS - Policing  QoS - Scheduling  802.1p  802.1Q  ISL  CGMP  DSCP | 13.1 Mpps  17.6 Gbps  4k, 1024   |  |

| DMRP                         | ⊗ |  |
|------------------------------|---|--|
| IGMP                         | ⊗ |  |
| IGMP Snooping                | ⊗ |  |
| QOS - Multiqueues            | ⊗ |  |
| QOS - Marking Classification | ⊗ |  |
| QPM                          |   |  |
| Power over Ethernet          | ⊗ |  |
| Multilayer QOS/Security      |   |  |
| Layer 2                      | ⊗ |  |
| Layer 3                      | ⊗ |  |
| Layer 4                      |   |  |
| Layer 4+                     |   |  |

## Want to Buy



Get a Quote

## Why Gntme.com

As a leading network hardware supplier, Gntme.com focuses on original new ICT equipment of Cisco, Huawei, HPE, Dell, Hikvision, Juniper, Fortinet, etc.



Countries we Sold



Customers Trusted



Inventory Available



Off Global List Price



Safe Online Shopping

#### Contact Us

Email:- sales@gntme.com Contact:- +971 4 2409 998 WhatsApp:- +971503841786

Skype:- imrank211