# IE-2000-8TC-G-E Datasheet

Get a Quote



## Overview

IE-2000-8TC-G-E is the IE2000 series 8 10/100, 2 T/SFP, and LAN Base switch. The Cisco IE 2000 Series are designed for low cost, low ports, and small sizes. They offer:

1.Four, eight, or 16 10/100Base-T Ethernet ports (Small Form-Factor Pluggable [SFP] downlinks on selected models); fixed configurations with a compact form factor

2. Two gigabit combo ports: SFP (100 Mbps and 1 Gbps) or RJ45 uplink

- 3. Dual-input DC power supply, alarm relays, DIN rail mount
- 4. Industrial Power over Ethernet (PoE) solution
- 5. Conformal coating available
- 6. Swappable SD flash card and mini-USB connector
- 7. Industrial environmental compliance and certifications
- 8. Industrial partner applications: Ethernet/IP and PROFINET

### **Quick Spec**

#### Table 1 shows the quick spec.

Part Number	IE-2000-8TC-G-E
Total Ports	10
RJ45 Ports	8 FE
Combo Ports	2 GE
Manufacturing license	LAN Base
Type of possible upgrade	1, 2, 4

"Type of possible upgrade" legend:

1: LAN Base to IP Lite Cisco IOS Software Upgrade

2: Enhanced LAN Base to IP Lite Cisco IOS Software

Upgrade 3: LAN Lite to LAN Base Cisco IOS Software

Upgrade

4: LAN Base to Enhanced LAN Base Cisco IOS Software Upgrade and License Upgrade

### **Product Details**

Figure 1 shows the front view of IE2000 8TC-G switches.



Note:

(1)	8 10/100
(2)	2 T/SFP
(3)	SD Flash
(4)	2 Dry-contact alarm inputs, and 1 alarm relay output
(5)	Dual DC inputs
(6)	Console port RJ45 and Mini USB

## **Supported Products**

Table 2 shows the supported modules, cards, licenses and accessories.

Model	Description
SD-IE-1GB	1GB SD Memory Card
GLC-SX-MM-RGD	Cisco GLC-SX-MM-RGD 1000Mbps Multi-Mode Rugged SFP
GLC-BX40-U-I	1000BASE-BX10 SFP module for single-strand SMF, 1310-nm TX/1550-nm RX wavelength, single LC/PC connector
GLC-TE	1000BASE-T SFP transceiver module for Category 5 copper wire
GLC-ZX-SM	1000BASE-ZX SFP
GLC-BX-U	1000BASE-BX SFP, 1310NM
SFP-GE-L	1000BASE-LX/LH SFP (DOM)
GLC-ZX-SMD	Cisco GLC-ZX-SMD 1000BASE-ZX SFP transceiver module, SMF, 1550nm, DOM
GLC-SX-MMD	Cisco GLC-SX-MMD 1000BASE-SX SFP transceiver module, MMF, 850nm, DOM
LIC-IE2000-IP-L=	IE2000 LAN Base or Enhanced LAN Base to IPLite e-license
STK-RACK-DINRAIL=	19 in. DIN Rail mount kit

## **Compare to Similar Items**

#### Table 3 shows the comparison.

Part Number	IE-2000-8TC-G-L	IE-2000-8TC-G-E
Total Ports	10	10
RJ45 ports	8 FE	8 FE
Combo Ports	2 GE	2 GE
Manufacturing license	LAN Lite	LAN Base
Type of possible upgrade	3	1, 2, 4

"Type of possible upgrade" legend:

1: LAN Base to IP Lite Cisco IOS Software Upgrade

2: Enhanced LAN Base to IP Lite Cisco IOS Software

Upgrade 3: LAN Lite to LAN Base Cisco IOS Software

Upgrade

4: LAN Base to Enhanced LAN Base Cisco IOS Software Upgrade and License Upgrade

## **Ordering Guide**

🔁 [PDF] Cisco Industrial Ethernet Switches Ordering Guide

[PDF] Simple Cisco Industrial Ethernet Switches (IE 4000, IE 2000 included) Selection Guides

## **Get More Information**

Do you have any question about the C9500-32QC-A? Contact us now via <u>Live Chat</u> or <u>sales@gntme.com</u>

## Specification

	IE-2000-8TC-G-E Specification	
Physical Specification		
Total Ports	10	
RJ45 Ports	8 FE	
Combo Ports	2 GE	
Manufacturing license	LAN Base	
IEEE 1588	Yes	
L2NAT	Upgradable to L2NAT via Enhanced Lan Base or IP Lite license	
Power consumption	8-port downlink models: 12.5-20 W	
Hardware	<ul> <li>256 MB DRAM with ECC memory</li> <li>IEEE 1588v2 FPGA</li> <li>64 MB on-board flash memory</li> <li>1GB removable SD flash memory card (optional)</li> <li>Mini-USB connector</li> </ul>	
Alarm	• Alarm I/O: Two alarm inputs to detect dry contact open or close; one alarm output relay	
Connectors and cabling	• 10/100/1000BASE-T ports: RJ-45 connectors, 4-pair Category 5 UTP cabling	

LAN Lite license	Baseline features	
Layer 2 switching	IEEE 802.1, 802.3, 802.3at, 802.3af standard (see Table 8), VTPv2, NTP, UDLD, CDP, LLDP, Unicast MAC filter, Resilient Ethernet Protocol (REP), Media Redundancy Protocol (MRP) Ring (IEC 62439-2)	
Security	SCP, SSH, SNMPv3, TACACS+, RADIUS Server/Client, MAC Address Notification, BPDU Guard, SPAN session	
Multicast	IGMPv1, v2, v3 Snooping, IGMP filtering, IGMP Querier	
Management	Fast Boot, Express Setup, Web Device Manager, CNA, Cisco Prime, LMS, MIB, SmartPort, SNMP, syslog	
Industrial Ethernet	EtherNet/IP, Profinet v2	
LAN Base license	Additional features	
Layer 2 switching	VTPv3, EtherChannel, Voice VLAN, Flexlink	
Security	IPv4 Port-Security, DHCP Snooping, Dynamic ARP Inspection, IP Source Guard, 802.1x, Guest VLAN. MAC Authentication Bypass, 802.1x Multi-Domain Authentication, Storm Control, Trust Boundary, Access-List (ACL)	
Quality of service	IPv4 Ingress Policing, Rate-Limit, Egress Queuing/Shaping, AutoQoS, PROFINET QoS	
Management	Port-Based DHCP, Storm Control - Unicast, Multicast, Broadcast, SPAN Sessions, RSPAN, DHCP Server, Customized TCAM/SDM Size Configuration, Embedded Event Manager (EEM)	
Industrial Ethernet	IEEE 1588 PTPv2	
IPv4 routing	IPv4 static routing	
IPv6 routing	IPv6 host support, HTTP over IPv6, SNMP over IPv6	
Enhanced LAN Base	Additional features	
Industrial management	Layer 2 switching with 1:1 static Network Address Translation (NAT)	
IP Lite license	Additional features	
IPv4 routing	RIP, OSPF, EIGRP, VRF Lite, PIM for L3 multicast routing including sparse (SM) and dense (DM) mode.	
IPv6 Routing	IPv6 Static routing, OSPFv3	
Security	FIPS 140-2	
Embedded Event Manager	EEM feature enabled with IP Lite license	
DNA Essentials	Additional features	
Cisco DNA Center	Discovery, topology, inventory, software image management	
Visibility	DNA assurance, Device 360	
Day-zero network bring-up automation	Cisco Network Plug-and-Play application	

# Want to Buy

Order Now

Get a Quote

# Why Gntme.com

As a leading network hardware supplier, gntme.com focuses on original new ICT equipment of Cisco, Huawei, HPE, Dell, Hikvision, Juniper, Fortinet, etc.







Inventory Available





## Contact Us

- Tel: +971 503823786 /+971 42409998
- Email:<u>sales@gntme.com</u>